

Leading Edge Health
 1850 Oak Bay Ave
 Victoria, BC, V8R 1C5

 Certificate ID # : 1204528-3
 Report Date: 03-25-2024
 Customer PO # :
 Receipt Date: 02-28-2024
 Sample Completion Date: 03-25-2024

Analytical Testing Results

 Lab Sample ID: S-20240228-7669
 Customer Lot # 1208238092701

 Serving Size: 2 Gummy(ies)
 Calculated Serving Size: 5.9606000000 g

Description: Erectin Male Enhancement Gummies

Test Method Description	Analyte	Specification	Result	U/M	Completion Date
Determination of Sex Enhancement Adulterants by LC-MS/MS	Sildenafil	Report	Not Detected (<0.2)	ppm	03-07-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Tadalafil	Report	Not Detected (<0.2)	ppm	03-07-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Vardenafil	Report	Not Detected (<0.2)	ppm	03-07-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Sulfoildenafil	Report	Not Detected (<0.2)	ppm	03-07-24
Determination of Sex Enhancement Adulterants by LC-MS/MS	Desmethyl Carbodenafil	Report	Not Detected (<0.2)	ppm	03-07-24
GL-500 Determination of Sodium by ICP*	Sodium (Na)	7 Min	6.59	mg/Serv	03-04-24
GL-607 Determination of Ascorbic Acid by Ion Pairing UPLC	Ascorbic Acid	30 Min	58.6	mg/Serv	03-07-24
GL-612 Determination of Arginine by UPLC	Arginine	25 Min	24.3	mg/Serv	03-07-24
GL-612 Determination of Citrulline by UPLC	Citrulline	25 Min	19.7	mg/Serv	03-07-24
GL-804 Quantitation of Cyanocobalamin by LC-MS/MS*	Cyanocobalamin	100 Min	135	µg/Serv	03-05-24
Nicotinamide Mononucleotide Sendout	Nicotinamide Mononucleotide	10 Min	1.91	mg/Serv	03-15-24
Quality By Input	Analyte	Report	Beet Root Powder (Beta Vulgaris) From 100 mg of 10:1 Extract	N/A	03-25-24
Quality By Input	Result By Input	1000 Min	1019	mg/Serv	03-25-24
Quality By Input	Analyte	Report	Grape Seed (Vitis vinifera) (Standardized for 95% Procyanidans) From 50 mg of 20:1 Extract	N/A	03-25-24
Quality By Input	Result By Input	1000 Min	1019	mg/Serv	03-25-24
Quality By Input	Analyte	Report	Amino Acid Blend (L-Citrulline, L-Arginine)	N/A	03-25-24
Quality By Input	Result By Input	50 Min	51	mg/Serv	03-25-24

Laboratory Comments:

*Blending batch record provided by client and reviewed by Dyad Labs. Manufactured Date (provided by client): 09/2023 Expiration Date (provided by client): 09/2025

** Sodium was tested by GL-500, the uncertainty of measure is +/- 11% (95% confidence limit. K=2)

Nicotinamide was tested at a partner laboratory. The batch records were reviewed and found that by input 10 mg/Serv Nicotinamide was added to the batch.

Reviewed By: Jose Rocha

Approved By: *Edgar Grigorian*

Date: 03-25-2024

Edgar Grigorian, Laboratory Director

On Behalf of Dyad Labs

Laboratory Notes:

Results reported herein are provided "as is" and, unless otherwise indicated, are based solely upon samples as provided by client. This report may not be distributed or reproduced except in full. Client shall not at any time misrepresent the content of this report. These results are intended for use by persons having professional skill and training in the interpretation of testing results. Mérieux NutriSciences assumes no responsibility, and client hereby waives all claims against Mérieux NutriSciences, for interpretation of such results. If statements of conformity to client provided or regulatory specifications are made in this report, measurement of uncertainty has not been taken into account, except when requested by the client. While Mérieux NutriSciences reviews all results exceeding client specifications, the client is responsible for the compliance of its product and determining whether the results meet acceptance or other criteria. To the extent practicable, your company will give notice to, and consult with, Mérieux NutriSciences prior to implementing a withdrawal or recall of products based on any testing results. Except as otherwise stated, Merieux NutriSciences Terms and Conditions for Services apply.

* - ISO/IEC 17025:2017 Accredited Test Accreditation number 71216